

ICS 23.040
J 74

HG

**PROFESSIONAL STANDARD OF THE PEOPLE'S
REPUBLIC OF CHINA**

中华人民共和国化工行业标准

**HG/T 20592-2009
Replace HG 20592~20605-1997**

**Steel Pipe Flanges
(PN Designated)
钢 制 管 法 兰
(PN 系列)**

Issued on February 05, 2009

Implemented on July 01, 2009

**Issued by the Ministry of Industry and Information Technology of the People's Republic of
China**

Contents

1. General provisions	1
2. Normative References	2
3. Flange Type and Flange Seal Contact Face	3
3.1 Flange type	3
3.2 Flange sealing face	8
4. Materials	14
5. Gaskets and fasteners for flanges	17
6. Selection and matching of flange joint	18
7. Rated pressure - temperature value	19
8. Dimensions	29
8.1 Dimensions of flange joint	29
8.2 Structural dimension of flange	32
8.3 Flange neck	74
8.4 Pipe thread	74
9. Welded joints and groove dimensions	75
9.1 Plate flanges and flat - welded collar loose flange	75
9.2 Slip on flange	76
9.3 The welded joints of socket weld flange jointed with steel pipe	77
9.4 Weld neck flange	78
9.5 Butt-welded collar	78
10. Dimensional tolerance	80
11. Test	83
12. Inspection and Acceptance	84
13. Designation and Example of Designation	85
14. Packaging and embossing stamp marking	87
Annex A (Normative) Steel orifice plate flange	88
Annex B (Informative) Steel jacketed flanges	96
Annex C (Informative) The pipe flange standards may be coordinated for use	104
Annex D (Informative) Approximate mass of flanges	105
Annex E (Informative) Approximate distance of flanges with ring joint face	111

Steel Pipe Flanges — (PN Designated)

1. General provisions

1.0.1 This standard specifies the basic technical requirements of steel pipe flanges (PN designated), including nominal dimension, nominal pressure, material, pressure-temperature rating, flange type, dimension, seal contact face, tolerance and marking.

1.0.2 This Standard is applicable to steel pipe flanges and blind flanges in nominal pressure of PN2.5~PN160. The nominal flange pressure grades are denoted by PN, including the following nine grades: PN2.5, PN6, PN10, PN16, PN25, PN40, PN63, PN100 and PN160.

1.0.3 Nominal dimension and outside diameter of the steel pipe

Outside diameter of the steel pipe applicable to this Standard includes two series: A and B, where A designs for the international purposes (it is commonly referred to as "John Guest"), while B designs for the domestic adopting series (it is commonly referred to as "metric pipe"). Its nominal dimension DN and outside diameter of the steel pipe are in accordance with those specified in Table 1.0.3.

The flanges adopting B series steel pipe shall be marked with "B" at the back of the number of nominal dimension DN for differentiation. However, the flange adopting A series steel pipe must not be marked with "A" at the back of the number of nominal dimension DN, for more details, see Chapter 13 and Chapter 14 of this Standard.

Table 1.0.3 Nominal Dimension and Outside Diameter of the Steel Pipe (mm)

Nominal dimension DN		10	15	20	25	32		40	50	65	80
Outside diameter of the steel pipe	A	17.2	21.3	26.9	33.7	42.4		48.3	60.3	76.1	88.9
	B	14	18	25	32	38		45	57	76	89
Nominal dimension DN		100	125	150	200	250	300	350	400	450	500
Outside diameter of the steel pipe	A	114.3	139.7	168.3	219.1	273	323.9	355.6	406.4	457	508
	B	108	133	159	219	273	325	377	426	480	530
Nominal dimension DN		600	700	800	900	1000	1200	1400	1600	1800	2000
Outside diameter of the steel pipe	A	610	711	813	914	1016	1219	1422	1626	1829	2032
	B	630	720	820	920	1020	1220	1420	1620	1820	2020

1.0.4 This Standard is also applicable to valve, pump, chemical engineering machinery, pipeline fittings and equipment spares with flange being used as its coupling mode.

1.0.5 This Standard excludes selection principle for materials under particular fluid operating conditions.

完整版本请在线下单

或咨询：

TEL: 400-678-1309

QQ: 19315219

Email : info@lancarver.com

<http://www.lancarver.com>

线下付款方式：

1. 对公账户：

单位名称：北京文心雕语翻译有限公司

开 户 行：中国工商银行北京清河支行

账 号：0200 1486 0900 0006 131

2. 支付宝账户：info@lancarver.com

注：付款成功后，请预留电邮，完整版本将在一个工作日内通过电子 PDF 或 Word 形式发送至您的预留邮箱，如需索取发票，下单成功后的三个工作日内安排开具并寄出，预祝合作愉快！

