

ICS 55.100

A 82



**NATIONAL STANDARD OF THE PEOPLE'S REPUBLIC  
OF CHINA**

**中华人民共和国国家标准**

**GB/T 17449-1998**

**neq ISO 9056:1990**

---

**包装 玻璃容器 螺纹瓶口尺寸**

**Packaging-Glass Containers-Thread Finish  
Dimensions**

**Issued on August 10, 1998**

**Implemented on October 01, 1999**

---

**Issued by State Bureau of Quality and Technical Supervision**

## Foreword

This Standard specifies dimension series of thread finish of glass, where, dimension of pilferproof glass thread finish adopts by non-equivalent ISO 905LH90 *Glass Containers-Pilferproof Thread Finish Series-Dimensions*, one-start thread finish of glass refers to British Standard BS 1918 Part 1-1978 *Glass Container Thread Finish-Part 1: Specifications for Continuous Thread Finish*, and multiple-start thread finish of glass combines with domestic actual situation.

This Standard is proposed by China National Packaging Corporation.

This Standard is under the jurisdiction of National Packaging Standardization Technical Committee Glass Container Subcommittee.

The responsible drafting organizations of this Standard are Beijing Glass Products Quality Supervision and Inspection Station.

The participated drafting organizations of this Standard are Shanxi Xinghuacun Fen Wine Factory Co., Ltd., Beijing Glass Group Company, Beijing Glass No. 6 Factory, Fujian Putian Jinshi Glassware Co., Ltd.

The chief drafting staff of this Standard includes Li Meiyong, Kang Jian, Liu Guanghua and Zhu Lindi.

**National Standard of the People's Republic of China**

**GB/T 17449-1998**

**包装 玻璃容器 螺纹瓶口尺寸 neq ISO 9056:1990**

**Packaging-Glass Containers-Thread Finish Dimensions**

---

**1 Scope**

This Standard specifies the definition, classification and dimension of thread finish of glass.

This Standard applies to thread finish glass containers containing non-inflatable object.

**2 Definition**

The following definitions are adopted in this Standard.

2.1 Pilferproof thread finish of glass thread finish of glass that necessary to be twisted off before opening.

2.2 Multiple-start thread finish of glass

Thread finish of glass that the finish between the interface screw is discontinuous.

2.3 One-start thread finish of glass

The thread finish of glass that the finish between the interface screw is continuous.

2.4 Shape

Shape and structure of thread finish of glass.

**3 Classification**

It is divided into three series according to requirements for use.

3.1 Series of pilferproof thread finish of glass

---

---

**完整版本请在线下单/Order Checks Online for Full version**

**联系我们/or Contact:**

TEL: 400-678-1309

QQ: 19315219 | Skype: Lancarver

Email : [info@lancarver.com](mailto:info@lancarver.com)

<http://www.lancarver.com>

---

**线下付款方式 :**

**I. 对公账户 :**

**单位名称 :** 北京文心雕语翻译有限公司

**开户行 :** 中国工商银行北京学清路支行

**账 号 :** 0200 1486 0900 0006 131

---

**II. 支付宝账户 : [info@lancarver.com](mailto:info@lancarver.com)**

**III. Paypal: [info@lancarver.com](mailto:info@lancarver.com)**

---

注: 付款成功后, 请预留电邮, 完整版本将在一个工作日内通过电子 PDF 或 Word 形式发送至您的预留邮箱, 如需索取发票, 下单成功后的三个工作日内安排开具并寄出, 预祝合作愉快!

**NOTE** All documents on the store are in electronic Adobe Acrobat PDF format, there is not sell or ship documents in hard copy. Mail the order and payment information to [info@lancarver.com](mailto:info@lancarver.com), you will shortly receive an e-mail confirming your order.

---

